

Review Article

Salmonellosis Acquired Through the Human Food

Fahim A. Shaltout*

*Food Control Department, Faculty of Veterinary Medicine, Benha University, Egypt.***Corresponding Author:** Fahim A. Shaltout,
Food Control Department, Faculty of Veterinary
Medicine, Benha University, Egypt.**Received:** 2023 Jan 04**Accepted:** 2024 Jan 23**Published:** 2024 Feb 21

Abstract

For confirming suitability of food for human consumption it should be evaluated for microbial contamination. Consumption of infected meat, poultry, fish and other food products could affect human health and lead to spread of pathogens. *Salmonella* spp. is pathogenic to human when consumed undercooked especially meat. Salmonellosis acquired through the human food infection is a common bacterial disease that affects the intestinal tract. *Salmonella* bacteria acquired through the human food typically live in animal and human intestines and are shed through stool. Humans become infected most frequently through contaminated drinking water or human food. Some people with salmonellosis acquired through the human food infection have no clinical pictures. Most people develop diarrhea, fever and stomach (abdominal) cramps within eight hours to three days after exposure. Most healthy people recover within a few days to a week without specific treatment. In some cases, diarrhea can cause severe dehydration and requires prompt medical attention. Life-threatening complications also may develop if the acquired through the human food infection spreads beyond the intestines. The risk of getting salmonellosis acquired through the human food infection is higher with travel to undeveloped countries in the world without clean drinking water and proper sewage disposal.

Keywords: Salmonellosis, Human Food, Bacteria, Drinking Water and Sewage.

1. Introduction

Salmonellosis acquired through the human food contamination, although fish, poultry and animals do not suffer from these infections, but human food of animal origin appear to act as source of infection for man [1-6]. Contamination of human food is common in the fresh drinking water fish was due to pollution in river and lakes but this occurs to a much lesser extent with the marine fish. About high percentage of human food including river fish, poultry, beef and meat products has *Salmonella* and *Shigella* spp. to other pathogenic and commensal bacteria in the farm environment [7-11]. *Salmonella* spp. is zoonotic, pathogenic bacterium that pathogens associated with a large spectrum of diseases that range from mild infections to life-threatening gastroenteritis in humans and animals [12-16].

The Salmonellosis caused by *Salmonella* spp. of common human food poisoning causes, and it is associated with consumption of different categories of human food including raw meat, poultry, fish, egg, milk and dairy products, subsequently the organism can cause a multitude of infections due to the expression of various toxins, virulence factors, and cell wall adhesion proteins [17-21]. *Salmonella* spp. is one of the most important pathogens inducing clinical environmental gastroenteritis, this organism is ubiquitous in the farm where healthy animals, even humans, are the carriers of this pathogen subsequently improper handling procedures, season changing, food animal behavior or weakened host immunity

can provide opportunities for human infection of *Salmonella* spp. [22- 27]. Gastroenteritis caused by *Salmonella* spp. can range from being a subclinical infection of the gut to a severe systemic disease, whereas human-dependent factors such as immune status and age affect the severity of Salmonellosis. Lipopolysaccharide (LPS), a component of the cell wall of gram-negative bacteria, is considered to be the primary virulence factor in *Salmonella* bacteria, being responsible for most pathophysiological reactions in Salmonellosis [28-33]. Smoked fish has been incriminated as a vector for salmonella. Salmonellosis acquired through the human food infection is usually caused by eating raw or undercooked meat, poultry, and eggs or egg products or by drinking unpasteurized milk [34-40]. The incubation period is the time between exposure and illness, can be six hours to six days. Often, people who have salmonellosis acquired through the human food infection think they have the stomach flu [41- 47].

1.1. Clinical Pictures of Salmonellosis Acquired Through the Human Food

Possible clinical pictures of salmonellosis acquired through the food infection include Diarrhea, Abdominal cramps, Fever, Nausea, Vomiting, Chills, Headache and Blood in the stool [48-54]. clinical pictures of salmonellosis acquired through the human food infection generally last a few days to a week. Diarrhea may last up to 10 days, but it may take several months before bowels return to usual stool habits [55-60]. A few varieties of salmonellosis bacteria acquired through the

food result in typhoid fever, a sometimes-deadly disease that is more common in the developing countries in the world [61-66]. Most people don't need to seek medical attention for salmonellosis acquired through the human food infection because it clears up on its own within a few days [67 -72]. However, if the affected person is an infant, young child, older adult or someone with a weakened immune system, call a health care provider if illness lasts more than a few days, is associated with high fever or bloody stools, appears to be causing dehydration, with signs such as such as urinating less than usual, dark-colored urine and having a dry mouth and tongue [73-79].

1.2. Causes of Salmonellosis Acquired Through the Human Food

Salmonella bacteria acquired through the human food live in the intestines of people, animals and birds. Most people are infected with salmonellosis acquired through the human food by consuming human food or drinking water that has been contaminated by feces [80-86].

1.3. Infected Human Food and Drinking Water

Commonly infected foods include Raw meat, poultry and seafood. Feces may get onto raw meat and poultry during the butchering process. Seafood may be contaminated if harvested from contaminated drinking water [87-93]. Raw or undercooked eggs. While an egg's shell may seem to be a perfect barrier to contamination, some infected chickens produce eggs that contain salmonella acquired through the human food before the shell is even formed. Raw eggs are used in homemade versions of human foods such as mayonnaise and sauce [94-99].

1.4. Unpasteurized Raw Dairy Products

Unpasteurized milk and milk products, sometimes called raw milk, may be contaminated with salmonella acquired through the human food [100-105]. The pasteurization process kills harmful bacteria, including salmonella acquired through the human food [116-119].

1.5. Fruits and Vegetables

Some fresh produce, particularly imported varieties, may be irrigated in the field or washed during processing with drinking water contaminated with salmonella acquired through the human food. Contamination can also occur in the kitchen, when juices from raw meat and poultry come into contact with uncooked human foods, such as salads [106-111].

1.6. Improperly Handled Human Food

Many human foods become contaminated when prepared by people who don't wash their hands thoroughly after using the toilet or changing a diaper or after handling contaminated human food. Infected surfaces. Infection can also occur if people touch something that is contaminated and then put their fingers in their mouths. Infected pets and other animals and pets, especially birds and reptiles, may carry salmonella bacteria acquired through the human food on their feathers, fur or skin or in their feces. Some pet foods may be contaminated with salmonella acquired through the human food and can infect animals [112-115].

1.7. Risk Factors for Salmonellosis Acquired Through the Human Food

Factors that may increase the risk of salmonella acquired through the human food infection include activities that may bring us into closer contact with salmonella bacteria acquired through the human food. Health problems that may weaken the resistance to infection [113-119].

1.8. Increased Exposure to Salmonellosis Acquired Through the Human Food

International travel, salmonella acquired through the human food infection, including varieties that cause typhoid fever, is more common in developing countries in the world with poor sanitation. Owning, handling or petting animals. Some animals, particularly birds and reptiles, can carry salmonella bacteria acquired through the human food. Salmonella acquired through the human food can also be found in animal pens, tanks, cages and litter boxes [60-66].

1.9. Stomach or Bowel Disorders Due to Salmonellosis Acquired Through the Human Food

The body has many natural defenses against salmonella acquired through the human food infection. For example, strong stomach acid can kill many types of salmonella bacteria acquired through the human food. But some medical problems or medications can short-circuit these natural defenses. Examples include Antacids. Lowering the stomach's acidity allows more salmonella bacteria acquired through the human food to survive. Inflammatory bowel disease. This disorder damages the lining of the intestines, which makes it easier for salmonella bacteria acquired through the human food to take hold. Recent use of antibiotics. This can reduce the number of "good" bacteria in the intestines, which may impair the ability to fight off a salmonella infection acquired through the human food [95-100].

1.10. Human Immune Problems

Some medical problems or medications appear to increase the risk of catching salmonella acquired through the human food by weakening the immune system. This interferes with the body's ability to fight infection and disease. Examples include HIV/AIDS. Sickle cell disease. Malaria. Anti-rejection drugs taken after organ transplants, Corticosteroids [100-106].

1.11. Prevention Salmonella Acquired Through the Human Food

Inspection, sampling and testing programs for poultry and meat. The purpose is to cut the number of salmonella infections acquired through the human food. We can avoid getting salmonella acquired through the human food and spreading bacteria to others in several ways, including safely preparing human food, hand-washing, avoiding contamination, and not eating raw meat, dairy or egg products. Preventive methods are especially important when preparing human food or providing care for infants, older adults and people with weakened immune systems.

1.12. Wash the Hands

Washing the hands thoroughly can help prevent the trans-

fer of salmonella bacteria through the human food to the mouth or to any human food after preparing. Wash the hands with soap and water for 20 seconds after the Use the toilet. Change a diaper. Handle raw meat or poultry. Clean up pet feces. Touch pets or other animals and their habitats, especially reptiles or birds [105-110].

2. Conclusion

To prevent Salmonella spp. cross-contamination by Store raw meat, poultry and seafood away from other human foods in the refrigerator. If possible, have two cutting boards in the kitchen, one for raw meat and the other for fruits and vegetables. Never place cooked human food on an unwashed plate that previously held raw meat. Wash the human food preparation surfaces thoroughly with soap and water. Avoid eating raw food of poultry origin. Homemade cookie dough, ice cream, mayonnaise, hollandaise sauce and eggnog all contain raw eggs. If we must consume raw eggs, make sure they've been pasteurized. Cook and store human food properly. Be sure to cook the human food thoroughly and refrigerate or freeze human food promptly.

References

- Shaltout, F. A., Riad, E. M., Abou Elhassan, A. A (2017): prevalence Of Mycobacterium Tuberculosis in Imported cattle Offals and Its lymph Nodes. Veterinary Medical Journal-Giza (VMJG), 63(2), 115-122.
- Shaltout, F. A., Riad, E. M., Asmaa, A. E. PREVALENCE OF MYCOBACTERIUM SPP. IN CATTLE MEAT AND OFFALS SLAUGHTERED IN AND OUT ABATTOIR.
- Abd Elaziz, O., Hassanin, F., Shaltout, F., Mohammed, O. (2021). Prevalence of some foodborne parasitic affection in slaughtered animals in local Egyptian abattoir. Benha Veterinary Medical Journal, 41(1), 111-114.
- El-Aziz, A., Mohamed, O., Hassanin, F. S., Shaltout, F. A. E., Mohammed, O. (2021). Prevalence of some zoonotic parasitic affections in sheep carcasses in a local abattoir in Cairo, Egypt. Benha Veterinary Medical Journal, 41(1), 115-119.
- Al Shorman, A.A.M.; Shaltout, F.A. and hilat, N (1999): Detection of certain hormone residues in meat marketed in Jordan. Jordan University of Science and Technology, 1st International Conference on Sheep and goat Diseases and Productivity, 23-25 October, 1999.
- Saleh, E., Shaltout, F., Abd Elaal, E. (2021). Effect of some organic acids on microbial quality of dressed cattle carcasses in Damietta abattoirs, Egypt. Damanhour Journal of Veterinary Sciences, 5(2), 17-20.
- Shaltout, F. A. E. (2017). Microbiological evaluation of some heat-treated fish products in Egyptian markets. EC Nutrition, 12, 124-132.
- Edris, A., Hassan, M., Saltout, F., El-Hosseny, S. (2013). Chemical evaluation of cattle and camel meat. BVMJ, 25, 145-150.
- Edris, A., Hassan, M., Shaltout, F., El-Hosseny, S. (2013). Detection of E. coli and Salmonella organisms in cattle and camel meat. Benha veterinary medical journal, 25(2), 198-204.
- Edris, A. M., Hemmat, M. I., Shaltout, F. A., Elshater, M. A., Eman, F. M. (2012). Study on incipient spoilage of chilled chicken cuts-up. Benha Veterinar y, 23, 81-86.
- Edris, A. M., Hemmat, M. I., Shaltout, F. A., Elshater, M. A., Eman, F. M. I. (2012). Chemical analysis of chicken meat with relation to its quality. Benha Vet. Med. J, 23(1), 87-93.
- Edris, A. M., Shaltout, F., Abd Allah, A. M. (2005). Incidence of Bacillus cereus in some meat products and the effect of cooking on its survival. Zag Vet J, 33(2), 118-124.
- Edris, A.M.; Shaltout, F.A. and Arab, W.S. (2005): Bacterial Evaluation of Quail Meat. Benha Vet. Med.J.16 (1):1-14.
- Edris, A. M., Shaltout, F. A., Salem, G. H., El-Toukhy, E. I. (2011). Incidence and isolation of Salmonellae from some meat products. Benha University, Faculty of Veterinary Medicine. In Fourth Scientific Conference (pp. 172-179).
- Shaltout, F. A. E. (2017). Microbiological evaluation of some heat-treated fish products in Egyptian markets. EC Nutrition, 12, 124-132.
- Edris, A. M., Shaltout, F. A., Salem, G. H., El-Toukhy, E. I. (2011). Plasmid profile analysis of Salmonellae isolated from some meat products. Benha University, Faculty of Veterinary Medicine. In Fourth Scientific Conference (pp. 194-201).
- Ragab, A., Edris, A. M., Shaltout, F. A., Salem, A. M. (2022). Effect of titanium dioxide nanoparticles and thyme essential oil on the quality of the chicken fillet. Benha Veterinary Medical Journal, 41(2), 38-40.
- Hassan, M. A., Shaltout, F. A., Arfa, M. M., Mansour, A. H., Saudi, K. R. (2013). Biochemical studies on rabbit meat related to some diseases. Benha Vet. Med. J, 25(1), 88-93.
- Hassan, M., Shaltout, F. A. (1997). Occurrence of some food poisoning microorganisms in rabbit carcasses. Alexandria Journal of Veterinary Science (AJVS), 13(1), 55-62.
- Hassan, M., FA, S., Saqur, N. (2020). Histamine in some fish products. Archives of Animal Husbandry Dairy Science, 2(1), 1-3.
- Hassan, M. A., Shaltout, F. (2004). Comparative study on storage stability of beef, chicken meat and fish at chilling temperature. Alex. J. Vet. Sci, 20(21), 21-30.
- Hassan, M. A., Shaltout, F. A., Arfa, M. M., Mansour, A. H., Saudi, K. R. (2013). Biochemical studies on rabbit meat related to some diseases. Benha Vet. Med. J, 25(1), 88-93.
- Hassan, M. A., Shaltout, F. A., Maarouf, A. A., El-Shafey, W. S. (2014). Psychrotrophic bacteria in frozen fish with special reference to Pseudomonas species. Benha Veterinary Medical Journal, 27(1), 78-83.
- Hassan, M. A., Shaltout, F. A., Arfa, M. M., Mansour, A. H., Saudi, K. R. (2013). Biochemical studies on rabbit meat related to some diseases. Benha Vet. Med. J, 25(1), 88-93.
- Hassanin, F. S., Hassan, M. A., Shaltout, F. A., Shawqy, N. A., Abd-Elhameed, G. A. (2017). Chemical criteria of chicken meat. Benha Veterinary Medical Journal, 33(2), 457-464.
- Hassanien-faten, S., Hassan, M. A., Shaltout, S., Elrais-Amina, M. CLOSTRIDIUM PERFRINGENS IN VACUUM PACKAGED MEAT PRODUCTS.
- Hassanien, F., Shaltout, F. A. E., Fahmey, M. Z., Elsukkary, H. F. A. (2020). Bacteriological quality guides in local and imported beef and their relation to public health. Benha

- Veterinary Medical Journal, 39(1), 125-129.
28. Hassanin, F. S., Shaltout, F. A., Afifi, M. E. (2013). Parasitic affections in edible offal. Food Control Department, Faculty of Veterinary Med. Moshtohor, Benha University, Egypt.
 29. Hassanin, F. S., Shaltout, F. A., Lamada, H. M., Abd Allah, E. M. (2011). The effect of preservative (nisin) on the survival of listeria monocytogenes. Benha Veterinary Medical Journal, 141-145.
 30. Khattab, E., Shaltout, F., Sabik, I. Benha Veterinary Medical Journal.
 31. Saad, S. M., Shaltout, F. A., Farag, A. A., Mohammed, H. F. (2022). Organophosphorus Residues in Fish in Rural Areas. Journal of Progress in Engineering and Physical Science, 1(1), 27-31.
 32. Saif, M., Saad, S., Shaltout, F., Hassanin, F. S., Zaghloul, M. (2019). Molecular detection of enterotoxigenic Staphylococcus aureus in ready to eat beef products. Benha Veterinary Medical Journal, 37(1), 7-11.
 33. Saif, M., Saad, S., Hassanin, F. S., Shaltout, F., Zaghloul, M. (2019). Prevalence of methicillin-resistant Staphylococcus aureus in some ready-to-eat meat products. Benha Veterinary Medical Journal, 37(1), 12-15.
 34. Abdelmordy, A., Shaltout, F., Saad, S. M. (2023). Studies on Pesticides Residues in Fish in Menofia Governorate. Benha Journal of Applied Sciences, 8(5), 323-330.
 35. Abdelmordy, A., Shaltout, F., Saad, S. M. (2023). Organochlorine Residues in Fish in Rural Areas. Benha Journal of Applied Sciences, 8(5), 331-336.
 36. Shaltout, F., Hussein, M., khaled Elsayed, N. (2023). Histological Detection of Unauthorized Herbal and Animal Contents in Some Meat Products. Journal of Advanced Veterinary Research, 13(2), 157-160.
 37. Ghanem, A., Shaltout, F., Heikal, G. I. (2022). Mycological quality of some chicken meat cuts in Gharbiya governorate with special reference to Aspergillus flavus virulent factors. Benha Veterinary Medical Journal, 42(1), 12-16.
 38. Darwish, W., Shaltout, F. A., Salem, R. M., Eldiasty, E. M., Diab, F. A. (2022). Seasonal Impact on the Prevalence of Yeast Contamination of Chicken Meat Products and Edible Giblets. Journal of Advanced Veterinary Research, 12(5), 641-644.
 39. Shaltout, F. A. E., Barr, A. A. H., Abdelaziz, M. E. (2022). Pathogenic Microorganisms in Meat Products. Biomedical Journal of Scientific Technical Research, 41(4), 32836-32843.
 40. Shaltout, F. A., Koura, H. A. (2017). Impact of some essential oils on the quality aspect and shelf life of meat. Benha Veterinary Medical Journal, 33(2), 351-364.
 41. Mohammed, I. Z. (2020). Bacteriological profile of some raw chicken meat cuts in Ismailia city, Egypt. Benha Veterinary Medical Journal, 39(1), 11-15.
 42. Afify, S. A., Shaltout, F., Mohammed, I. Z. (2020). Detection of E. coli O157 and Salmonella species in some raw chicken meat cuts in Ismailia province, Egypt. Benha Veterinary Medical Journal, 39(1), 101-104.
 43. Shaltout, F. A., El-diasty, E. M., Asmaa-Hassan, M. A. (2019). HYGIENIC QUALITY OF READY TO EAT COOKED MEAT IN RESTAURANTS AT CAIRO GOVERNORATE. Journal of Global Biosciences, 8(12), 6627-6641.
 44. Shaltout, F. A., Nasief, M. Z., Lotfy, L. M., Gamil, B. T. Benha Veterinary Medical Journal.
 45. Saad, S. M., Shaltout, F. A., Abou Elroos, N. A., El-nahas, S. B. (2019). Antimicrobial effect of some essential oils on some pathogenic bacteria in minced meat. Journal of Food Science and Nutrition Research, 2(1), 13-21.
 46. Saad, S. M., Shaltout, F. A., Abou Elroos, N. A., El-nahas, S. B. (2019). Antimicrobial effect of some essential oils on some pathogenic bacteria in minced meat. Journal of Food Science and Nutrition Research, 2(1), 13-21.
 47. Arakeeb, S. M., Hassanien, F., Shaltout, F., Homouda, S. (2019). Natural preservatives in raw chicken meat. Benha Veterinary Medical Journal, 37(1), 41-45.
 48. Hazaa, W., Shaltout, F., El-Shater, M. A. (2019). Prevalence of some chemical hazards in some meat products. Benha Veterinary Medical Journal, 37(1), 32-36.
 49. Hazaa, W., Shaltout, F., El-Shater, M. (2019). Identification of Some Biological Hazards in Some Meat Products. Benha Veterinary Medical Journal, 37(1), 27-31.
 50. Gaafar, R., Hassanin, F. S., Shaltout, F., Zaghloul, M. (2019). Molecular detection of enterotoxigenic Staphylococcus aureus in some ready to eat meat-based sandwiches. Benha Veterinary Medical Journal, 37(1), 22-26.
 51. Gaafar, R., Hassanin, F. S., Shaltout, F., Zaghloul, M. (2019). Hygienic profile of some ready to eat meat product sandwiches sold in Benha city, Qalubiya Governorate, Egypt. Benha Veterinary Medical Journal, 37(1), 16-21.
 52. Saad, S. M., Shaltout, F. A., Abou Elroos, N. A., El-nahas, S. B. (2019). Antimicrobial effect of some essential oils on some pathogenic bacteria in minced meat. Journal of Food Science and Nutrition Research, 2(1), 13-21.
 53. Shaltout, F. A. (2019). Incidence of Staphylococci and E. coli in Meat and Some Meat Products. EC Nutrition, 14.
 54. Saif, M., Saad, S., Hassanin, F. S., Shaltout, F., Zaghloul, M. (2019). Prevalence of methicillin-resistant Staphylococcus aureus in some ready-to-eat meat products. Benha Veterinary Medical Journal, 37(1), 12-15.
 55. Shaltout, F. (2019). Pollution of Chicken Meat and Its Products by Heavy Metals. Research and Reviews on Healthcare: Open Access Journal, 4(3), 381-3382.
 56. Shaltout, F. A., EL-diasty, E. M., Mohamed, M. S. (2018). Effects of chitosan on quality attributes fresh meat slices stored at 40C. Benha Veterinary Medical Journal, 35(2), 157-168.
 57. Shaltout, F. A., Abdel-Aziz, A. M. (2004). Salmonella enterica serovar enteritidis in poultry meat and their epidemiology.
 58. Shaltout, F. A., El Zahaby, D. I., Lotfy, L. M., El-Shorah, H. F. (2018). Bacteriological profile of chicken meat products. Food Nutr Current Res, 1(3), 83-90.
 59. Shaltout, F., El-Shater, M. A., El-Aziz, A., Mohamed, W. (2015). Bacteriological assessment of street vend-ed meat products sandwiches in kalyobia Governorate. Benha Veterinary Medical Journal, 28(2), 58-66.
 60. Fahim, H. M. (2019). Evaluate antibiotic residues in beef and effect of cooking and freezing on it. Benha Veterinary Medical Journal, 36(2), 109-116.
 61. Shaltout, F. A., Zakaria, I., Nabil, M. (2018). Incidence of some anaerobic bacteria isolated from chicken meat products with special reference to Clostridium perfringens.

- gens. *Nutrition and Food Toxicology*, 2, 429-438.
62. Shaltout, F. A., Maarouf, A. A., Elkhoully, M. E. (2017). Bacteriological Evaluation of Frozen Sausage. *Nutrition and Food Toxicology*, 1(5), 174-185.
63. Shaltout, F. A., El-Toukhy, E. I., Abd El-Hai, M. M. (2019). Molecular Diagnosis of Salmonellae in Frozen Meat and Some Meat Products. *Nutrition Food Technol Open Access*, 5(1).
64. Shaltout, F. A., Ali, A. M., Rashad, S. M. (2016). Bacterial contamination of fast foods. *Benha Journal of Applied Sciences (BJAS)*, 1(2).
65. Shaltout, F. A., Eltanani, J., Elmelegy, A. S. (2015). Microbiological status of meat and chicken received to university student hostel. *Benha Veterinary Medical Journal*, 29(2), 187-192.
66. Saad, M. S., Edris, A. M., Shaltout, F. A., Shima, E. V. (2011). Isolation and identification of Salmonellae and *E. coli* from meat and poultry cuts by using multiplex PCR. *Benha Veterinary Medical Journal*, 22(2), 152-160.
67. Saad, S. M., Shaltout, F. A. (1998). Mycological evaluation of camel carcasses at Kalyobia abattoirs.
68. Saad, S. M., Shaltout, F. A., Abou Elroos, N. A., El-nahas, S. B. (2019). Antimicrobial effect of some essential oils on some pathogenic bacteria in minced meat. *Journal of Food Science and Nutrition Research*, 2(1), 13-21.
69. Saif, M., Saad, S., Hassanin, F. S., Shaltout, F., Zaghloul, M. (2019). Prevalence of methicillin-resistant *Staphylococcus aureus* in some ready-to-eat meat products. *Benha Veterinary Medical Journal*, 37(1), 12-15.
70. Shaltout, F. A. (2019). Incidence of *Staphylococci* and *E. coli* in Meat and Some Meat Products. *EC Nutrition*, 14.
71. Ahmed, T. (2017). Studying the effect of gamma irradiation on bovine offal's infected with *Mycobacterium tuberculosis* bovine type. *Veterinary Medical Journal (Giza)*, 63(4), 17-24.
72. Shaltout, F. A., Zakaria, I., Nabil, M. (2018). Incidence of some anaerobic bacteria isolated from chicken meat products with special reference to *Clostridium perfringens*. *Nutrition and Food Toxicology*, 2, 429-438.
73. Faheim, A. S., Mohamed, A. H., Fatin, S. H. THERMAL INACTIVATION OF ENTEROHAEMORRHAGIC *ESCHERICHIA COLI* O157: H7 AND ITS SENSITIVITY TO NISIN AND LACTIC ACID CULTURES.
74. Shaltout, F. A., El-diasty, E. M., Elmesalamy, M., Elshaer, M. (2014). Study on fungal contamination of some chicken meat products with special reference to the use of PCR for its identification. In *Conf. Vet. Med. J. Giza* (Vol. 60, pp. 1-10).
75. Shaltout, F. A. (2002). Microbiological aspects of semi-cooked chicken meat products. *Benha Vet. Med. J.*, 13(2), 15-26.
76. Shaltout, F. A., Thabet, M. G., Koura, H. A. (2018). Impact of some essential oils on the quality aspect and shelf life of meat.
77. Shaltout, F. A. E., Farouk, M., Ibrahim, H. A., Afifi, M. E. (2017). Incidence of Coliform and *Staphylococcus aureus* in ready to eat fast foods. *Benha Veterinary Medical Journal*, 32(1), 13-17.
78. Shaltout, F. A., Zakaria, I. M., Nabil, M. E. (2017). Detection and typing of *Clostridium perfringens* in some retail chicken meat products. *BMVJ*, 33, 283-291.
79. Shaltout, F. A. M. (1992). Studies on mycotoxins in meat and meat by-products.
80. Shaltout, F. A. M. (1996). Mycological and Mycotoxicological profile of some meat products.
81. Shaltout, F. A. (1998). Proteolytic Psychrotrophes in Some Meat products. *Alex. Vet. Med. J.*, 14(2), 97-107.
82. Shaltout, F. A. (1999). Anaerobic bacteria in vacuum packed meat products. *Benha Vet. Med. J.*, 10, 1-10.
83. Shaltout, F. A. (2000). PROTOZOAL F OODBORNE PATHOGENS IN SOME MEAT PRODCUTS. *Assiut Veterinary Medical Journal*, 42(84), 54-59.
84. Shaltout, F. A. (2001). Quality evaluation of sheep carcasses slaughtered at Kalyobia abattoirs. *Assiut Veterinary Medical Journal*, 46(91), 150-159.
85. Shaltout, F. A. (2002). Microbiological aspects of semi-cooked chicken meat products. *Benha Vet. Med. J.*, 13(2), 15-26.
86. Shaltout, F. A. (2003, April). *Yersinia Enterocolitica* in some meat products and fish marketed at Benha city. In *The Third international conference Mansoura* (pp. 29-30).
87. Fahim, A. S. (2020). Microbiological Quality of Chicken Carcasses at Modern Poultry Plant. *J. Nutrition and Food Processing*, 3(1).
88. Shaltout, F. A., Abdel-Aziz, A. M. (2004). *Salmonella enterica* serovar enteritidis in poultry meat and their epidemiology.
89. Shaltout, F. A., Abdel Aziz, A. M. (2004). *ESCHERICHIA COLI* STRAINS IN SLAUGHTERED ANIMALS AND THEIR PUBLIC HEALTH IMPORTANCE. *J. Egypt. Vet. Med. Association*, 64(2), 7-21.
90. Shaltout, F. A., Amin, R. A., Nassif, M. Z., Abd-Elwahab, S. A. (2014). Detection of aflatoxins in some meat products. *Benha Vet Med J*, 27(2), 368-74.
91. Shaltout, F. A., Afify, J. R. E., Abo Elhasan, A. A. (2012). Improvement of microbiological status of oriental sausage. *Journal of Egyptian Veterinary Medical Association*, 72(2), 157-167.
92. Shaltout, F. A. Chemical analytical studies on rabbit meat and liver. *Benha Veterinary Medical Journal (Egypt)*.
93. Shaltout, F. A., Edris, A. M. (1999). Contamination of Shawerma with pathogenic yeasts. *Assiut Veterinary Medical Journal*, 41(81), 170-176.
94. Shaltout, F. A., El-diasty, E. M., Mohamed, M. S. (2014). Incidence of lipolytic and proteolytic fungi in some chicken meat products and their public health significance. *1st Sci. In Conf. Food Safe. Technol* (pp. 79-89).
95. Shaltout, F. A., El-diasty, E. M., Salem, R. M., Asmaa, M. A. (2016). Mycological quality of chicken carcasses and extending shelf-life by using preservatives at refrigerated storage. *Veterinary Medical Journal-Giza*, 62(3).
96. Shaltout, F. A., Salem, R., Eldiasty, E. M., Diab, F. (2016). Mycological evaluation of some ready to eat meat products with special reference to molecular characterization. *Vet. Med. J. Giza*, 62, 9-14.
97. Shaltout, F., El-Shater, M. A., El-Aziz, A., Mohamed, W. (2015). Bacteriological assessment of street vendable meat products sandwiches in Kalyobia Governorate. *Benha Veterinary Medical Journal*, 28(2), 58-66.

98. SHEWAIL, A., SHALTOU, F., GERGES, T. (2018). Impact of some organic acids and their salts on microbial quality and shelf life of beef. *Assiut Veterinary Medical Journal*, 64(159), 164-177.
99. Shaltout, F. A., Ghoneim, A. M., Essmail, M. E., Yousseif, A. (2001). Studies on aflatoxin B1 residues in rabbits and their pathological effects. *J. Egypt. Vet. Med. Ass*, 61, 85-103.
100. Shaltout, F. A. (2023). Viruses in Beef, Mutton, Chevon, Venison, Fish and Poultry Meat Products. *Advances in Social Sciences and Management*, 1(12), 01-15.
101. Shaltout, F. A., Hashim, M. F. (2002). Histamine in salted, Smoked and Canned Fish products. *Benha Vet. Med. J*, 13(1), 1-11.
102. Fahim, S. A., Mohammed, H. F., Saber, E. N. (2015). Detection of some heavy metals in fish (*Tilapia nilotica* and *Clarias lazera*) at Menofia governorate. *Benha Veterinary Medical Journal*, 29(1), 124-128.
103. Shaltout, F. A., Ibrahim, H. M. (1997). Quality evaluation of luncheon and Alexandrian sausage. *Benha Vet. Med. J*, 10(1), 1-10.
104. Shaltout, F. A., Marionette, Z. N., Shakran, A. M. (2014). Quality of battered and breaded chicken meat products. *Glob. J. Agric. Food Saf. Sci*, 1(2), 283-299.
105. Shaltout, F. A., Amani, M. S., Mahmoud, A. H., Abd Elraheem, K. A. (2013). Bacterial aspect of cooked meat and edible offal at street vendor's level. *J. Benha vet. Med*, 24(1), 320-328.
106. Shaltout, F. A., Salem, R. M. T. (2000). Moulds, aflatoxin B1 and ochratoxin A in forzen livers and meat products. *Veterinary Medical Journal Giza*, 48(3), 341-346.
107. Al-Tarazi, Y., Al-Zamil, A., Shaltout, F., Abdel-Samei, H. (2003). Sanitary status of raw cow milk marketed in northern Jordan. *Assiut Veterinary Medical Journal*, 49(96), 180-194.
108. Shaltout, F. A., Zakaria, I., Nabil, M. (2018). Incidence of some anaerobic bacteria isolated from chicken meat products with special reference to *Clostridium perfringens*. *Nutrition and Food Toxicology*, 2, 429-438.
109. Shaltout, F. A., El-diasty, E. M., Mohamed, M. S. (2014). Incidence of lipolytic and proteolytic fungi in some chicken meat products and their public health significance. 1st Sci. In Conf. Food Safe. Technol (pp. 79-89).
110. Shaltout, F. A., El-diasty, E. M., Salem, R. M., Asmaa, M. A. (2016). Mycological quality of chicken carcasses and extending shelf-life by using preservatives at refrigerated storage. *Veterinary Medical Journal-Giza*, 62(3).
111. Shaltout, F. A., Salem, R. M., El-Diasty, E. M., Hassan, W. I. M. (2019). Effect of Lemon fruits and turmeric extracts on fungal pathogens in refrigerated chicken fillet meat. *Global Veterinaria 2019a*, 23(3), 156-160.
112. Shaltout, F. A., El-diasty, E. M., Elmesalamy, M., Elshaer, M. (2014). Study on fungal contamination of some chicken meat products with special reference to 2 the use of PCR for its identification. In Conf. Vet. Med. J. Giza (Vol. 60, pp. 1-10).
113. Shaltout, F. A., Salem, R., Eldiasty, E. M., Diab, F. (2016). Mycological evaluation of some ready to eat meat products with special reference to molecular characterization. *Vet. Med. J. Giza*, 62, 9-14.
114. Fahim, A. S., Ahmed, A. A., Eman, M. K. Heavy Metal Residues in chicken cuts up and processed chicken meat products.
115. Edris, E., Shaltout, F., Lamada, H. (2020). bacteriological examination of some ready to eat meat and chicken meals. *Benha Veterinary Medical Journal*, 38(2), 76-79.
116. Sobhy, A., Shaltout, F. (2020). Prevalence of some food poisoning bacteria in semi cooked chicken meat products at Kaliobyia governorate with using of recent Vitek 2 compact and PCR techniques. *Benha Veterinary Medical Journal*, 38(2), 88-92.
117. Sobhy, A., Shaltout, F. (2020). Detection of food poisoning bacteria in some semi-cooked chicken meat products marketed at Qaliubiya Governorate.
118. Shaltout, F. A. (2023). Abattoir and Bovine Tuberculosis as a reemerging foodborne disease. *Clinical Medical Reviews and Reports*, 6(1).
119. Shaltout, F. A. (2023). Viruses in Beef, Mutton, Chevon, Venison, Fish and Poultry Meat Products. *Advances in Social Sciences and Management*, 1(12), 01-15.